

AECOM 250 Apollo Drive Chelmsford, MA 01824 978.905.2100 978.905.2101

tel fax

# **Weekly Perimeter Air Monitoring Summary**

Client: Massachusetts Department of Conservation and Recreation

Location: Pittsfield, Massachusetts

Period: 9/22/25 - 9/28/25

On behalf of the Massachusetts Department of Conservation and Recreation (MassDCR), AECOM Technical Services, Inc. (AECOM) has prepared this data summary for the Bel Air Dam remediation site (the "Site"). This data summary includes both tabular information and written discussions summarizing the ambient air-quality data collected during the indicated reporting period at the Site. The data was collected during the reporting period at the Site in accordance with the Perimeter Air Monitoring Plan (PAMP) prepared by AECOM (2025). Remedial activities are planned for a 4-day work week, Monday through Thursday, however, occasional work on Fridays may occur to maintain the project schedule.

## Scope

Air monitoring and sampling activities were conducted during the report period to evaluate conditions at the property line (fenceline) to document ambient air quality conditions at the fenceline and ensure that the measures used to control potential fugitive emissions are effective. The monitoring program consists of the following real-time monitoring and constituent-specific sampling:

- Real-time continuous monitoring for total volatile organic compounds (TVOCs) and particulate matter 10 microns or less (PM<sub>10</sub>) performed at four (4) fixed air monitoring stations (AMS) at the sediment processing area and two (2) mobile AMS upwind and downwind of the sediment removal activities during work hours.
- Routine instantaneous hand-held monitoring for TVOCs, PM<sub>10</sub>, and mercury vapor, as well as observational monitoring for odor and visible dust conducted routinely during periods of construction activities.
- Chemical-specific sampling for naphthalene using Summa<sup>™</sup> canisters and analyzed in accordance with EPA TO-15.
   Samples are collected at each AMS for 24-hour periods once per week during sediment removal in the northern portion of the river.
- Continuous meteorological monitoring for wind speed, wind direction, sigma (wind variability, calculated), temperature
  and relative humidity at an onsite location 24 hours per day, 7 days per week.

The real-time continuous and hand-held monitoring results are compared to a list of Site-specific Alert and Action Levels, and the mercury vapor and chemical-specific sampling results are compared to Acceptable Air Concentrations (AACs) developed for the Site. The Action Levels and AACs are defined in the following tables:

- Table 1: Site-Specific Alert and Action Levels; and
- Table 2: Acceptable Air Concentrations.

## **Real-Time Monitoring Summary**

Real-time continuous TVOC and PM<sub>10</sub> monitoring was conducted at each of the six (6) AMS. In addition, hand-held monitoring for TVOCs, PM<sub>10</sub>, and mercury vapor was conducted, as well as observational odor and visible dust assessments.

During the report period, the TVOC,  $PM_{10}$ , and mercury vapor concentrations remained less than the Action Levels, there were no off-Site odor complaints, and no observations of visible dust moving off-Site. The results of the real-time air monitoring are presented in the following tables:

- **Table 3:** Real-Time TVOC and PM<sub>10</sub> Concentrations Summary;
- Table 4: Daily Maximum Hand-held Concentrations Summary; and
- Table 5: Weekly Alert and Action Level Event Summary.

## **Naphthalene Sampling Summary**

Chemical-specific sampling for naphthalene is conducted at each of the six (6) AMS for 24-hour periods once per week during sediment removal activities in the northern portion of the work zone. Samples are shipped to the analytical laboratory for USEPA TO-15 analysis. The results of sampling are provided following receipt from the analytical laboratory and are included in the following table:

Table 6: Naphthalene Sampling Results Summary.

# **Meteorological Conditions and Site Map**

Meteorological monitoring summaries and a Site map for the report period are included in the following figures:

- Figure 1: Meteorological Summaries; and
- Figure 2: Site Map(s).

**Table 1: Site-Specific Alert and Action Levels** 

Target Constituent	Alert Level	Action Level			
TVOC (15-minute average or	One (1) concentration	Two (2) concentrations			
instantaneous concentration)	> 1.0 ppm	> 1.0 ppm			
PM <sub>10</sub> (15-minute average or	One (1) concentration	Two (2) concentrations			
instantaneous concentration)	> 150 μg/m³	> 150 μg/m³			
Mercury Vapor (Instantaneous	Net Applicable	One (1) concentration			
concentration)	Not Applicable	> 0.05 μg/m³			
Odor (Instantaneous observation	Not Applicable	On-Site odor > 3 or public complaints that are			
related to Site activities)	rtot / ipplicable	verified to be related to construction			
Visible Dust (Instantaneous					
observation related to Site	Not Applicable	Observation of visible dust moving off-Site			
activities)					

#### **Definitions:**

TVOC - Total volatile organic compounds

ppm - Parts per million

PM<sub>10</sub> – Respirable particulate matter

μg/m³ – Micrograms per cubic meter

**Table 2: Acceptable Air Concentrations** 

сос	AAC μg/m³	Project Goal μg/m³		
PM <sub>10</sub>	150	120		
Mercury Vapor	0.05			
Naphthalene	1.43	1.14		

#### **Definitions:**

AAC - Acceptable Air Concentration

COC - Chemical of concern

PM<sub>10</sub> – Particulate matter with a diameter of 10 micrometers or less in diameter.

μg/m³ – Micrograms per cubic meter

#### Notes

- Project Goal is defined as an internal project goal equal to 80% of the AAC.

Table 3: Real-Time TVOC and PM<sub>10</sub> Concentrations Summary

	AMS-1		AMS-2		AMS-3		AMS-4		AMS-A		AMS-B	
Date	TVOC (ppm)	PM <sub>10</sub> (μg/m³)	TVOC (ppm)	PM <sub>10</sub> (μg/m³)								
Mon 9/22/25	0.0	23.8	0.0	29.5	0.0	11.0	0.0	8.8	0.0	8.6	0.0	11.6
Tue 9/23/25	0.0	21.9	0.1	26.4	0.1	38.1	0.0	10.9	0.1	34.9	0.0	25.9
Wed 9/24/25	0.0	25.2	0.0	25.5	0.0	15.4	0.0	12.0	0.1	9.1	0.0	12.4
Thu 9/25/25	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA¹	NA¹	NA <sup>1</sup>						
Fri 9/26/25	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA¹	NA¹	NA¹	NA¹	NA¹	NA¹	NA <sup>1</sup>
					Week	ly Summary						
Weekly Maximum	0.0	25.2	0.1	29.5	0.1	38.1	0.0	12.0	0.1	34.9	0.0	25.9
Weekly Average	0.0	11.2	0.0	15.2	0.0	15.2	0.0	3.9	0.0	6.2	0.0	6.4
	Project Summary											
PTD Average         0.0         24.4         0.0         33.2         0.0         25.0         0.0         20.9         0.0							21.1	0.0	18.9			

### **Definitions:**

AMS - Air Monitoring Station

TVOC - Total Volatile Organic Compounds

ppm - Parts per million

PM<sub>10</sub> - Particulate Matter 10 micrometers or less

μg/m³ – Micrograms per cubic meter

PTD - Project-to-date

ND - No Data

NA - Not Applicable

- Highlighted concentrations (if any) require further analysis (see Table 5).
- AMS reported TVOC and PM<sub>10</sub> data represent 15-minute average concentrations.
- Project-to-date average PM<sub>10</sub> concentrations are compared to the PM<sub>10</sub> AAC to evaluate the effectiveness of the perimeter air monitoring program with relation to particulates. Compliance will be determined at the end of the project.
- Project-to-date average PM<sub>10</sub> concentrations are calculated from 6/23/25 through the end of the reporting period.
- Baseline results are not included in project-to-date averages.
- <sup>1</sup> Air monitoring was not performed due to heavy rain.

**Table 4: Daily Maximum Hand-Held Concentrations Summary** 

Date	TVOC (ppm)	PM <sub>10</sub> (μg/m³)	Mercury Vapor (μg/m³)	Odor (0-8)	Visible Dust (Yes/No)
Mon 9/22/25	0.0	44	0	0	No
Tue 9/23/25	0.0	27	0	0	No
Wed 9/24/25	0.0	10	0	0	No
Thu 9/25/25	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>
Fri 9/25/25	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>	NA <sup>1</sup>

# **Definitions:**

TVOC - Total Volatile Organic Compounds

ppm - Parts per million

PM<sub>10</sub> - Particulate Matter 10 micrometers or less

μg/m³ – Micrograms per cubic meter

ND - No Data

NA - Not Applicable

- Highlighted concentrations (if any) require further analysis (see Table 5).
- Hand-held data represents instantaneous concentrations unless stated otherwise.
- <sup>1</sup>No hand-held measurements performed due to heavy rain.

**Table 5: Weekly Alert and Action Level Event Summary** 

Parameter	Date	Time	Location	Wind Conditions	Elevated Concentration	Comments/Explanation
TVOC (ppm)	NA	NA	NA	NA	NA	TVOC concentrations remained less than the Alert and Action Levels.
PM <sub>10</sub> (μg/m³)	NA	NA	NA	NA	NA	PM <sub>10</sub> concentrations remained less than the Alert and Action Levels.
Mercury Vapor (μg/m³)	NA	NA	NA	NA	NA	Mercury vapor concentrations remained less than the Action Level.
Odor (0-8)	NA	NA	NA	NA	NA	Odor observations remained less than the Action Level.
Visible Dust	NA	NA	NA	NA	NA	There were no observations of visible dust moving offsite.

# Definitions:

AMS – Air Monitoring Station

HH - Hand-Held Location

TVOC – Total Volatile Organic Compounds

ppm - Parts per million

PM<sub>10</sub> − Particulate Matter ≤ 10 microns in diameter

μg/m³ – Micrograms per cubic meter

mph - Miles per hour

ND - No Data

NA - Not Applicable

- AMS-reported data represent 15-minute block average concentrations.
- Observations represent instantaneous conditions unless stated otherwise.

**Table 6: Naphthalene Sampling Results Summary** 

Date	AAC (µg/m³)	Project Goal (µg/m³)	AMS-1 (μg/m³)	AMS-2 (μg/m³)	AMS-3 (μg/m³)	AMS-4 (μg/m³)	AMS-A (μg/m³)	AMS-B (μg/m³)	Dup (μg/m³)	
Wed 5/21/25		-	0.205	0.205	0.205	0.205	0.205	0.205	0.205	
Tue 7/22/25			0.205	0.205	0.205	0.098	0.205	0.205		
Wed 7/30/25			0.205	0.205	0.205	0.205	0.205	0.205		
Tue 8/5/25			0.205	0.205	0.205	0.205	0.205	0.205	0.205	
Wed 8/13/25			0.205	0.205	0.205	0.205	0.205	0.205		
Tue 8/19/25			0.205	0.205	0.205	0.205	0.205	0.205		
Wed 8/27/25		-	0.205	0.205	0.205	0.205	0.205	0.205		
Thu 9/4/25			0.205	0.205	0.205	0.205	0.205	0.205	0.205	
Mon 9/8/25		-	TBD <sup>1</sup>							
Tue 9/16/25			TBD <sup>1</sup>							
	Project Summary									
PTD Average         1.43         1.14         0.205         0.205         0.205         0.190         0.205         0.205								0.205		

#### **Definitions:**

AMS – Air Monitoring Station

AAC - Acceptable Air Concentration

PEL – Permissible Exposure Limit

MDL - Method Detection Limit

TBD - To Be Determined

PTD - Project-To-Date

μg/m³ – Micrograms per cubic meter

Bold – Results reported above the MDL

Italics - Compound was analyzed for, but not detected above


the MDL (estimated as 1/2 the MDL)

NA - Not Applicable

ND – No Data

- Samples are placed in the field at the start of the work activities and collected prior to the start of the following day, unless otherwise stated. The sample date listed represents the day the sample was started.
- Baseline results are not included in project-to-date averages.
- Duplicate samples are collected once per month at AMS-1.
- <sup>1</sup> Samples are pending analysis and results will be reported once available from the laboratory.

**Figure 1: Meteorological Summaries** 



Note: Periods of relative humidity data missing due to an instrument malfunction.

Figure 2: Site Map (9/22/25 - 9/24/25)

